REQUEST FOR PROPOSAL (RFP) 4 Vehicles – 2 Maintenance Trucks, 2 Patrol SUVs RFP Dated April 18, 2024

GENERAL PROVISIONS

These General Provisions are being provided by the Delaware River Joint Toll Bridge Commission to prospective Proposers and will be made part of the executed Purchase Orders.

1. RFP ISSUING OFFICE:

This RFP is issued by the Delaware River Joint Toll Bridge Commission ("RFP Issuing Office"). The Commission is the sole point of contact for this RFP. Please refer all inquiries to:

Delaware River Joint Toll Bridge Commission Purchasing Department			
1199 Woodside Road, Yardley, PA 19067			
Contact Name:	Steven Wells	John Rementer	
Title:	Purchasing Agent	Purchasing Agent	
Telephone:	267-394-6554	267-394-6555	
Fax:	267-394-6744	267-394-6744	
Email:	swells@drjtbc.org	jrementer@drjtbc.org	

2. DATE AND TIME FOR SUBMISSION OF PROPOSALS:

To be considered, a Proposal must arrive at the RFP Issuing Office in a sealed envelope on or before 2:00 PM **Friday May 3, 2024.**

3. INSURANCE/INDEMNITY REQUIREMENTS:

The RFP Issuing Office's Insurance and Indemnity Requirements are provided with this RFP as **Attachment B**. <u>All</u> requirements must be met and documentation of same provided and approved prior to issuance of a Purchase Order.

4. **SUBMISSION OF QUOTES:**

- (a) Proposers must complete the attached Proposal Form, including Supplier Name and Address, Contact Person, Telephone/Fax Number. The Proposal Form must be signed and submitted by an authorized representative of the Proposer or the Proposal will be rejected.
- (b) It is the responsibility of each Proposer to ensure that the RFP Issuing Office receives the Proposal prior to the date and time for Submission of Quotes, noted under Section 2. The RFP Issuing Office will reject all late Proposals.
- (c) Please have clearly marked on the outside of the sealed envelope:
 - Sealed Proposal Multi Vehicle RFP (Maintenance and Patrol) C/O Purchasing Department
- (d) If the Proposal is submitted with conditions or exceptions or not in conformance with the terms and conditions referenced, it shall be rejected. The Proposal shall also be rejected if the Services offered by the Proposer are not in conformance with the specifications as determined by the RFP Issuing Office.

5. MODIFICATION OR WITHDRAWAL OF PROPOSAL:

- (a) Prior To Date and Time for Submission of Proposals Proposals may only be modified or withdrawn by written notice received by the RFP Issuing Office prior to the exact time and date specified for submission of Proposals. The written notice shall specifically identify the Proposal to be modified or withdrawn. Modifications or withdrawals of proposals received after the exact hour and date specified for submission of proposals shall not be considered, except as provided below.
- (b) <u>After Date and Time for Submission of Proposals</u> Proposers are permitted to withdraw erroneous proposals after the date and time for submission of proposals only if the following conditions are met:
 - i. The Supplier submits a written request for withdrawal.
 - ii. The Supplier presents credible evidence with the request that the reason for the lower price was a clerical mistake as opposed to a judgment mistake and was due to an unintentional arithmetical error or an unintentional omission of a substantial quantity of work, labor, material, or services made directly in the compilation of the price.
 - iii. The request for relief and supporting evidence must be received by the RFP Issuing Office referenced in Paragraph 3 of this RFP within three (3) business days after the date and time for submission of proposals, but before issuance of a Purchase Order.
 - iv. The RFP Issuing Office shall not permit a quote withdrawal if the quote withdrawal would result in award to the same supplier, its partner, or a corporation or business venture owned by or in which the supplier has a substantial interest.
 - v. If a supplier is permitted to withdraw its quote, the supplier cannot supply any material or labor services or perform any subcontract or other work agreement for the selected proposer, without the written approval of the RFP Issuing Office.
- (c) <u>Firm Proposals</u> Except as provided above, a quote may not be modified, withdrawn, or cancelled by any Awarded Supplier for a period of sixty (60) days after the date and time for submission of quotes.
 - i. <u>Clarification and Additional Information</u> After the receipt of Proposals, the RFP Issuing Office shall have the right to contact Suppliers for the purpose of seeking: Clarification of the Proposal which confirms the RFP Issuing Office understanding of statements or information in the Proposal.

6. **REJECTION OF PROPOSALS:**

The RFP Issuing Office reserves the right to reject any and all Proposals, to waive technical defects or any informality in Proposals, and to accept or reject any part of any Proposal if the best interests of the RFP Issuing Office are thereby served. Proposals that do not meet the minimum requirements, as set forth in the Specifications, will be rejected.

7. EVALUATION CRITERIA:

The Delaware River Joint Toll Bridge Commission has the obligation to safeguard itself from poor-quality service, work and/or materials provided by any and all vendors. Therefore, The Delaware River Joint Toll Bridge Commission will conduct a best value determination by conducting a tradeoff between the following evaluation factors: Price, Capability, and Past Performance. For evaluation purposes, Capability is more important than Past Performance, which is more important than Price. Bidders may submit the names and phone numbers of up to three (3) prior customers whom The Delaware River Joint Toll Bridge Commission may contact at its sole discretion.

The absence of relevant Past Performance will be viewed neutrally, not negatively. The Delaware River Joint Toll Bridge Commission will assess Capability and Past Performance as Superior, Acceptable, Neutral, or Negative.

Therefore, award of contracts to bidders may not be made to the bidder with the lowest price. The Delaware River Joint Toll Bridge Commission reserves the right to make multiple awards for any site, or no award at all at its sole discretion. The Delaware River Joint Toll Bridge Commission may award contracts based on initial quotes or may enter negotiations or discussions with potential awardees at its sole discretion.

8. **PURCHASE ORDER:**

After quotes are received and evaluated the pending Proposer will be asked to submit for approval their documentation of Insurance Requirements. Upon approval of the Insurance Requirements the RFP Issuing Office shall execute and issue a Purchase Order to the Proposer that best meets the evaluation criteria in response to the RFP. Suppliers may not proceed to provide services until receipt of a Fully Executed Purchase Order from the RFP Issuing Office. Each RFP and Purchase Order will be deemed to incorporate the terms and conditions set forth in this RFP.

9. **PAYMENT:**

Payment will only be made, to the Proposing Vendor, in one final installment upon vehicle delivery and approval. Subsequently, the Upfitting Vendor(s) will receive payment from the Proposing Vendor.

- 10. It is imperative that the Proposing Vendor is responsible for organizing all transportation related to the upfitting process, as well as ensuring that the quality of work meets the highest standards of the Delaware River Joint Toll Bridge Commission (DRJTBC).
 - (a) The DRJTBC holds the right to reject vehicle delivery if the quality of parts and/or installation does not align with the provided specifications or meet our satisfaction.

11. **VEHICLE WARRANTY:**

All vehicles must have a minimum of the following warranty:

- (a) Basic warranty 36 months/36,000 miles
- (b) Powertrain warranty 60 months/60,000 miles
- (c) Corrosion perforation warranty 60 months/unlimited
- (d) Roadside Assistance Warranty 60 months/60,000 miles

12. **UPFITTING WARRANTY:**

- (a) All parts and components used in the upfitting process must be subject to the manufacturers' warranty. This ensures quality and reliability in our operations.
- (b) The installation of these parts must be warrantied for a minimum of one year. It is crucial that we have this assurance to safeguard against any unforeseen issues.
- (c) In the event of any problems or defects, all warranty claims will be handled directly by the upfitting vendor. Clear communication channels must be established for swift resolution.
- (d) As part of the proposal submission, proof of all warranties associated with the upfitting services provided must be included. This documentation is essential for accountability and transparency.

These requirements are non-negotiable and must be met without exception. Your attention to this matter is greatly appreciated to ensure a successful partnership moving forward.

SPECIAL NOTES:

This Proposal is for 4 Vehicles with Upfitting and Warranty and is in accordance with ALL Specs listed in Attachment A An itemized price list may be requested for the purposes of evaluation.

Vehicle #1 - 2024 Police Interceptor Utility AWD Base		
1.	Base Vehicle w/ Options & Trim	\$
3.	Upfitting	\$
5.	Warranty	\$

Vehicle #1 TOTAL PROPOSAL AMOUNT \$_____

Vehicle #2 - 2024 Police Interceptor Utility AWD Base		
1.	Base Vehicle w/ Options & Trim	\$
3.	Upfitting	\$
5.	Warranty	\$

Vehicle #2 TOTAL PROPOSAL AMOUNT \$_____

Vehicle #3 - 2024 F-250 4x4 SD Super Cab 8' box 164" WB SRW XL with Plow		
1.	Base Vehicle w/ Options & Trim	\$
3.	Upfitting	\$
5.	Warranty	\$

Vehicle #3 TOTAL PROPOSAL AMOUNT\$_____

Vehicle #4 - 2024 F-250 4x4 SD Super Cab 8' box 164" WB SRW XL		
1.	Base Vehicle w/ Options & Trim	\$
3.	Upfitting	\$
5.	Warranty	\$

Vehicle #4 TOTAL PROPOSAL AMOUNT\$_____

Signature	Address	
Name (Print)	Phone	
Title	Email	
Company Name	Submission Date	

SF Facility - Vehicle #1 2024 Police Interceptor Utility AWD Base V&E# 2024-115-R-02-2024

- Exterior: Oxford White
- * Interior: Charcoal Black w/Unique HD Cloth
- * Engine: 3.3L V6 Direct-Injection
- * Transmission: 10-Speed Automatic
- Front Bucket Seats w/Vinyl Rear
- * 10-speed automatic
- 18 x 8-inch front and rear black steel wheels
- Class III tow rating
- * P255/60RW18 AS BSW front and rear tires
- * Overdrive transmission
- Lock-up transmission
- * Transmission electronic control
- * Alternator Amps: 250A
- Stainless steel dual exhaust
- * All-speed ABS and driveline traction control
- Battery rating: 730CCA
- Lead acid battery
- Fuel tank capacity: 21.40 gal.
- * 4.2 inch primary LCD display
- * Steering wheel mounted audio controls
- * AM/FM stereo radio
- * Seek scan
- External memory control
- * Vehicle body length: 198.8"
- * Wheelbase: 119.1"
- * Standard ride suspension
- * Trip computer
- * Rear window defroster
- Power door mirrors
- * Heated driver and passenger side door mirrors
- Manual folding door mirrors
- * LED brake lights
- Deep tinted windows
- Variable intermittent front windshield wipers
- Speed sensitive wipers
- Electronic stability control system with anti-roll
- * Manual rear child safety door locks
- Driver front impact airbag
- Seat mounted side impact driver airbag
- * Passenger front impact airbag
- * Seat mounted side impact front passenger airbag
- * Airbag occupancy sensor
- * 7 airbags
- * Automatic climate control
- 3.73 Axle Ratio Included
- * GVWR: 6,840 lbs (3,103 kgs)
- * Tires: 255/60R18 AS BSW
- * Wheels: 18" x 8" 5-Spoke Painted Black Steel
- * Unique HD Cloth Front Bucket Seats w/Vinyl Rear

- * Monotone Paint Application
- * 119" Wheelbase
- * Radio: AM/FM/MP3 Capable
- * 50 State Emission System
- * Oxford White
- Charcoal Black w/Unique HD Cloth Front Bucket Seats w/Vinyl Rear
- Tail Lamp/Police Interceptor Housing Only
- * Dark Car Feature
- * Switchable Red/White Lighting in Cargo Area
- Priver Only LED Spot Lamp (Unity)
- * Global Lock/Unlock Feature
- * Dual-zone front climate control
- Rear under seat climate control ducts
- * Fixed rear seats
- * 35-30-35 folding rear seats
- * Split-bench rear seat
- * Front facing rear seat
- * Fold forward rear seatback
- Height adjustable rear seat head restraints
- Manual rear seat head restraint control
- * 3 rear seat head restraints
- * Bucket front seats
- * Driver seat with 8-way directional controls
- * Front passenger seat with 4-way directional controls
- * Height adjustable front seat head restraints
- * Manual front seat head restraint control
- * Manual reclining driver seat
- * Power height adjustable driver seat
- * Power driver seat fore/aft control
- * Power driver seat cushion tilt
- * Manual reclining passenger seat
- Manual passenger seat fore/aft control
- * Cloth front seat upholstery
- Vinyl front seatback upholstery
- * Manual driver seat lumbar
- * 4-wheel disc brakes
- * 4-wheel antilock (ABS) brakes
- * Brake assist system
- * Hill start assist
- * Rear-Door Controls Inoperable
- * Keyed Alike 1284x
- * Heated Sideview Mirrors
- * Noise Suppression Bonds (Ground Straps)
- * OBD-II Split Connector
- * Rear View Camera
- * Electrochromic Rear View Mirror Included
- * Reverse Sensing System

Vehicle #1 - Upfitting Details

1. ROOF

- a. SoundOff Signal Mpower Lightbar 55" Tri Color Green / Amber / White *MPN:EMPLBL (48 e.g 2)
- b. Ford Explorer/PI SUV w/o Roof Rack (2020) *MP#: PNFLBF32

2. FRONT

- a. Ford Utility Front End Harness System, Includes BluePrint Node *MP#: EM Utility EB Kit
- b. Road Watch 16' (4.9 m) extension cable connects the RoadWatch sensor and display unit and is suitable for use in harsh winter environments. Features industry standard M8 connection style.
- c. RoadWatch SS Bracket Flat
- d. Soundoff Signal LED DOME LIGHT, UNIVERSAL MOUNT W/ RED LED NIGHT LIGHT WHITE LENS *MP#: ECVDMLTAL00

3. FRONT - GRILL

- a. 100 Watt Siren Speaker, With Waterproof Connector *MP#: EM Spkr 100J CW
- b. Setina Aluminum Pushbumper Light Ready (Lights not Included) for, 2 Fwd, 2 Side, Soundoff Nforce Lights Ford Utility 2020+
- c. Soundoff Signal NF Replacement Module 18 LED Amber/Green/White *MP#: ENFRMS4AGW *MPN: ENFRMS4AGW
- d. Soundoff Signal Speaker bracket for 2020+ Ford Utility *MP#: ETSSVBK01

4. FRONT – HEADLIGHTS

- a. Soundoff Signal UC LED Insert Amber with Waterproof Connector
- b. Soundoff Signal Twist-lock adapter for LED Inserts *MP#: PLUCTCL1

5. SIDE - MIRRORS

a. Soundoff Signal Intersector Under Mirror Dual Color 18 Led Light Amber/White *MP#: ENT2B3F

6. SIDE – RUNNING BOARDS

- a. Soundoff Signal SL Runner Light, 72 inch, Dual Color, Amber/White *MP#: ESLRL7306F
- b. Soundoff Signal Vehicle Specific SL Runner Mounting Bracket, Ford Utility 20+ *MP#: PSLVBK01

7. SIDE – REAR WINDOW

- a. Nforce Single & Dual Deck/Grill Light rear screws *MP#: 002SC095
- b. nForce Dual Deck/Grill Windshield Bracket Kit *MP#: PNFSLDGDB
- c. NForce Dual Deck/Grill Windshield Face Black *MP#: 002HG360-SB
- d. NForce Dual Deck/Grill Windshield Shell Black *MP#: 002HG346-SB
- e. Soundoff Signal NF Replacement Module 18 LED Amber/Green/White *MP#: ENFRMS4AGW *MPN: ENFRMS4AGW

8. REAR

a. Amerex 862, 4.25" – 6.25" Cylinder Diameter Heavy Duty Rubber Strap Bracket (Red)

9. REAR - TAILLIGHTS

a. Vehicle Specific Plug-n-Play Taillight System for use with Harness System, Ford Utility 2020+ *MP#: EM Utility Taillight Kit – WH

10. REAR - HATCH

- a. Ford Utility Hatch Harness System, Includes BluePrint Node *MP#: EM Utility Hatch Kit
- b. Sound Off Signal mpower 4 Fascia Light w/ Stud Mount, Hard wire w/ sync option, Black Housing, 12 LED, Dual Color Green/Amber *MPN: EMPS2001N-P
- c. Soundoff Mpower Fascia 4x2 Light w/ Stud Mount, 18" 5wire w/ sync option & 1.5 Pigtail, SAE Class 1 & CA Title 13, 932 Vdc, Black Housing, 36 LED, Tri color Green/Amber/White 3 *MPN: EMPSA05C3-3

11. REAR - WINDOW

- a. SoundOff Signal Mpower 4inch Fascia Light w/ Stud Mount, 3 wire , Black Housing, 18 LED, Tri Color Green/Amber/White
- b. Power Distributing Harness for Mpower Arrow Kit (8 Lights) No BOB. *MPN: PMPAKHNDS1
- c. Rear Spoiler Bracket, 4 Module Kit, Black, for use with mpower 4" Fascia Stud Mount, 3-Wire 4" Stud Mount Light & mpower Arrow Kit Light Ford Utility 2020-2023

12. CONSOLE

- a. Ford Police Utility Console Kit with Armrest and cupholders. *MP#: KITCC- ELI-UVLP21-ARM
- b. Magnetic Mic Adapter and mount

Vehicle #1 - Upfitting Details (continued)

13. CONSOLE - PC

- a. Gamber Johnson Panasonic Toughbook 54/55 Docking Station, Dual RF *MP#: 7160-0577-02
- b. Gamber Johnson XLE9 Motion Attachment *MP#: 7160-1216-09

14. CONSOLE - ELECTRONICS

- a. Sound Off Signal 500 Series BluePrint Button Siren / Light Controller *MP#: EL 500 Button Controller
- b. Display Mount Pedestal, Display sets inside molded pedestal for enclosed Dash top installation. All hardware included.
- c. RoadWatch SS Complete Kit (F), M8 Connector (Bullet Sensor, 12 FT Cable, and Display)
- d. Streamlight Stinger, LED flashlight with 12v Smart Charger
- e. Soundoff Signal BluePrint Car-to-car Sync module *MP#: ENGSYMD01
- f. Soundoff Signal BluePrint OBD can data module Ford Utility *MP#: ENGLNK001

15. ELECTRONICS

 Ford Utility Vehicle Specific Main Harness System, Includes, BluePrint Siren & Control System, Node, Power Distribution, Electronics Tray, and Harness *MP#: EM Utility Cabin Kit

16. CAGES

a. Setina Rear Partition#12VS Vinyl Coated Expanded Metal *MP#: PK0123ITU202ND

17. CABINET

- a. 10lb ABC Dry Chemical Fire Extinguisher
- b. Tool Hanger Kit, For shovels, brooms, and many other T- shaped equipment.
- c. Heavy Duty Upright Broom with Handle 11"
- d. Heavy Duty Shovel Polypropylene, Green

18. MISC.

- a. Tiger Tough Custom Embroidery Per Seat
- b. Tiger Tough, Seat Cover for Ford Explorer 2020+ With IronWeave Bucket Set Black

19. GRAPHICS

a. Custom Graphics Package C *MP#: ECA-GP3

I-78 Facility - Vehicle #2 2024 Police Interceptor Utility AWD Base V&E# 2024-210-R-02-2024

- * Exterior: Oxford White
- Interior: Charcoal Black w/Unique HD Cloth
- * Engine: 3.3L V6 Direct-Injection
- Transmission: 10-Speed Automatic
- Front Bucket Seats w/Vinyl Rear
- * 10-speed automatic
- * 18 x 8-inch front and rear black steel wheels
- Class III tow rating
- P255/60RW18 AS BSW front and rear tires
- * Overdrive transmission
- * Lock-up transmission
- * Transmission electronic control
- * Alternator Amps: 250A
- Stainless steel dual exhaust
- * All-speed ABS and driveline traction control
- Battery rating: 730CCA
- Lead acid battery
- Fuel tank capacity: 21.40 gal.
- 4.2 inch primary LCD display
- * Steering wheel mounted audio controls
- * AM/FM stereo radio
- Seek scan
- External memory control
- * Vehicle body length: 198.8"
- * Wheelbase: 119.1"
- * Standard ride suspension
- * Trip computer
- * Rear window defroster
- * Power door mirrors
- Heated driver and passenger side door mirrors
- * Manual folding door mirrors
- LED brake lights
- * Deep tinted windows
- * Variable intermittent front windshield wipers
- Speed sensitive wipers
- Electronic stability control system with anti-roll
- * Manual rear child safety door locks
- * Driver front impact airbag
- Seat mounted side impact driver airbag
- Passenger front impact airbag
- * Seat mounted side impact front passenger airbag
- * Airbag occupancy sensor
- * 7 airbags
- * Automatic climate control
- * 3.73 Axle Ratio Included
- * GVWR: 6,840 lbs (3,103 kgs)
- * Tires: 255/60R18 AS BSW
- * Wheels: 18" x 8" 5-Spoke Painted Black Steel
- * Unique HD Cloth Front Bucket Seats w/Vinyl Rear
- * Monotone Paint Application
- * 119" Wheelbase

- Radio: AM/FM/MP3 Capable
- * 50 State Emission System
- * Oxford White
- Charcoal Black w/Unique HD Cloth Front Bucket Seats w/Vinyl Rear
- * Tail Lamp/Police Interceptor Housing Only
- Dark Car Feature
- * Switchable Red/White Lighting in Cargo Area
- * Driver Only LED Spot Lamp (Unity)
- Global Lock/Unlock Feature
- * Dual-zone front climate control
- * Rear under seat climate control ducts
- * Fixed rear seats
- * 35-30-35 folding rear seats
- * Split-bench rear seat
- * Front facing rear seat
- Fold forward rear seatback
- Height adjustable rear seat head restraints
- * Manual rear seat head restraint control
- * 3 rear seat head restraints
- * Bucket front seats
- * Driver seat with 8-way directional controls
- * Front passenger seat with 4-way directional controls
- * Height adjustable front seat head restraints
- * Manual front seat head restraint control
- * Manual reclining driver seat
- * Power height adjustable driver seat
- * Power driver seat fore/aft control
- * Power driver seat cushion tilt
- * Manual reclining passenger seat
- * Manual passenger seat fore/aft control
- * Cloth front seat upholstery
- * Vinyl front seatback upholstery
- * Manual driver seat lumbar
- 4-wheel disc brakes
- * 4-wheel antilock (ABS) brakes
- * Brake assist system
- * Hill start assist
- * Rear-Door Controls Inoperable
- Keyed Alike 1284x
- * Heated Sideview Mirrors
- * Noise Suppression Bonds (Ground Straps)
- * OBD-II Split Connector
- * Rear View Camera
- * Electrochromic Rear View Mirror Included
- * Reverse Sensing System

Vehicle #2 - Upfitting Details

1. ROOF

- a. SoundOff Signal Mpower Lightbar 55" Tri Color Green / Amber / White *MPN: EMPLBL (48 e.g 2)
- b. Ford Explorer/PI SUV w/o Roof Rack (2020) *MP#: PNFLBF32

2. FRONT

- a. Ford Utility Front End Harness System, Includes BluePrint Node *MP#: EM Utility EB Kit
- b. Road Watch 16' (4.9 m) extension cable connects the RoadWatch sensor and display unit and is suitable for use in harsh winter environments. Features industry standard M8 connection style.
- c. RoadWatch SS Bracket Flat
- d. Soundoff Signal LED DOME LIGHT, UNIVERSAL MOUNT W/ RED LED NIGHT LIGHT WHITE LENS *MP#: FCVDMLTAL00

3. FRONT - GRILL

- a. 100 Watt Siren Speaker, With Waterproof Connector *MP#: EM Spkr 100J CW
- b. Setina Aluminum Pushbumper Light Ready (Lights not Included) for, 2 Fwd, 2 Side, Soundoff Nforce Lights Ford Utility 2020+
- c. Soundoff Signal NF Replacement Module 18 LED Amber/Green/White *MP#: ENFRMS4AGW *MPN: ENFRMS4AGW
- d. Soundoff Signal Speaker bracket for 2020+ Ford Utility *MP#: ETSSVBK01

4. FRONT - HEADLIGHTS

- a. Soundoff Signal UC LED Insert Amber with Waterproof Connector
- b. Soundoff Signal Twist-lock adapter for LED Inserts *MP#: PLUCTCL1

5. SIDE - MIRRORS

a. Soundoff Signal Intersector Under Mirror Dual Color 18 Led Light Amber/White *MP#: ENT2B3F

6. SIDE – RUNNING BOARDS

- a. Soundoff Signal SL Runner Light, 72 inch, Dual Color, Amber/White *MP#: ESLRL7306F
- b. Soundoff Signal Vehicle Specific SL Runner Mounting Bracket, Ford Utility 20+ *MP#: PSLVBK01

7. SIDE – REAR WINDOW

- a. Nforce Single & Dual Deck/Grill Light rear screws *MP#: 002SC095
- b. nForce Dual Deck/Grill Windshield Bracket Kit *MP#: PNFSLDGDB
- c. NForce Dual Deck/Grill Windshield Face Black *MP#: 002HG360-SB
- d. NForce Dual Deck/Grill Windshield Shell Black *MP#: 002HG346-SB
- e. Soundoff Signal NF Replacement Module 18 LED Amber/Green/White *MP#: ENFRMS4AGW *MPN: ENFRMS4AGW

8. REAR

a. Amerex 862, 4.25" – 6.25" Cylinder Diameter Heavy Duty Rubber Strap Bracket (Red)

9. REAR – TAILLIGHTS

a. Vehicle Specific Plug-n-Play Taillight System for use with Harness System, Ford Utility 2020+ *MP#: EM Utility Taillight Kit - WH

10. REAR - HATCH

- a. Ford Utility Hatch Harness System, Includes BluePrint Node *MP#: EM Utility Hatch Kit
- b. Sound Off Signal mpower 4 Fascia Light w/ Stud Mount, Hard wire w/ sync option, Black Housing, 12 LED, Dual Color Green/Amber *MPN: EMPS2001N-P
- c. Soundoff Mpower Fascia 4x2 Light w/ Stud Mount, 18" 5wire w/ sync option & 1.5 Pigtail, SAE Class 1 & CA Title 13, 932 Vdc, Black Housing, 36 LED, Tri color Green/Amber/White 3 *MPN: EMPSA05C3-3

11. REAR - WINDOW

- SoundOff Signal Mpower 4inch Fascia Light w/ Stud Mount, 3 wire , Black Housing, 18 LED, Tri Color Green/Amber/White
- b. Power Distributing Harness for Mpower Arrow Kit (8 Lights) No BOB. *MPN: PMPAKHNDS1
- c. Rear Spoiler Bracket, 4 Module Kit, Black, for use with mpower 4" Fascia Stud Mount, 3-Wire 4" Stud Mount Light & mpower Arrow Kit Light Ford Utility 2020-2023

Vehicle #2 - Upfitting Details (continued)

12. CONSOLE

- a. Ford Police Utility Console Kit with Armrest and cupholders. *MP#: KITCC- ELI-UVLP21-ARM
- b. Magnetic Mic Adapter and mount

13. CONSOLE - PC

- a. Gamber Johnson Panasonic Toughbook 54/55 Docking Station, Dual RF *MP#: 7160-0577-02
- b. Gamber Johnson XLE9 Motion Attachment *MP#: 7160-1216-09

14. CONSOLE - ELECTRONICS

- a. Sound Off Signal 500 Series BluePrint Button Siren / Light Controller *MP#: EL 500 Button Controller
- b. Display Mount Pedestal, Display sets inside molded pedestal for enclosed Dash top installation. All hardware included
- c. RoadWatch SS Complete Kit (F), M8 Connector (Bullet Sensor, 12 FT Cable, and Display)
- d. Streamlight Stinger, LED flashlight with 12v Smart Charger
- e. Soundoff Signal BluePrint Car-to-car Sync module *MP#: ENGSYMD01
- f. Soundoff Signal BluePrint OBD can data module Ford Utility *MP#: ENGLNK001

15. ELECTRONICS

a. Ford Utility Vehicle Specific Main Harness System, Includes, BluePrint Siren & Control System, Node, Power Distribution, Electronics Tray, and Harness *MP#: EM Utility Cabin Kit

16. CAGES

a. Setina Rear Partition#12VS Vinyl Coated Expanded Metal *MP#: PK0123ITU202ND

17. CABINET

- a. 10lb ABC Dry Chemical Fire Extinguisher
- b. Tool Hanger Kit, For shovels, brooms, and many other T- shaped equipment.
- c. Heavy Duty Upright Broom with Handle 11"
- d. Heavy Duty Shovel Polypropylene, Green

18. MISC.

- a. Tiger Tough Custom Embroidery Per Seat
- b. Tiger Tough, Seat Cover for Ford Explorer 2020+ With IronWeave Bucket Set Black

19. GRAPHICS

a. Custom Graphics Package C *MP#: ECA-GP3

PC Facility – Vehicle #3 2024 F-250 4x4 SD Super Cab 8' box 164" WB SRW XL with Plow V&E# 2024-310-N-02-2024

- * Exterior: Oxford White
- * Engine: 6.8L 2V DEVCT NA PFI V8 Gas
- * Transmission: TorgShift-G 10-Speed Automatic
- Electronic-Locking w/3.73 Axle Ratio
- GVWR: 10,000 lb Payload Package
- * Tires: LT285/70R17 A/T
- * Wheels: 17" Argent Painted Steel
- * HD Vinyl 40/20/40 Split Bench Seat
- * 164" Wheelbase
- * Monotone Paint Application
- * Radio: AM/FM Stereo w/MP3 Player
- * XL Chrome Package
- * XL Off-Road Package
- * Snow Plow/Camper Package
- * Dual 68 AH/65 AGM Batteries

- * 190 Amp Alternator
- * 410 Amp Dual Alternators
- * LED Box Lighting
- Platform Running Boards
- LED Roof Clearance Lights
- * Tailgate Step & Handle
- * 120V/400W Outlet
- Upfitter Switches (6)
- * Front & Rear Wheel Well Liners (Pre-Installed)
- Front Splash Guards/Mud Flaps (Pre-Installed)
- * Rear Splash Guards/Mud Flaps (Pre-Installed)
- * Exterior Backup Alarm (Pre-Installed)
- * Front License Plate Bracket
- * SPRAY IN BEDLINER

Vehicle #3 - Upfitting Details

1. ROOF

- a. Ford FSeries Strap Kit. F150 17+ Super Duty 18+ *MPN: PNFLBF18
- b. SoundOff Signal Mpower Lightbar 55" Tri Color Green / Amber / White *MPN: EMPLBL (48 e.g 2)

2. FRONT

- a. Sound Off Signal Blue Print Remote Node Harness Kit *MPN: EM BP Node Harness
- b. Sound Off Signal Blue Print Remote Node *MPN: ENGND04102

3. FRONT - GRILL

a. Soundoff Mpower Fascia 4x2 Light w/ Stud Mount, 18" 5wire w/ sync option & 1.5 Pigtail, SAE Class 1 & CA Title 13, 932 Vdc, Black Housing, 36 LED, Tri color Green/Amber/White 3 *MPN: EMPSA05C3-3

4. REAR

- a. Headache Rack Mounting Kit; For Backrack Racks; With Toolbox; Black; Includes 21 Inch Brackets and Hardware
- b. BackRack Headache Rack, Black Steel Powder Coated, Requires Mounting Kit Fits Ford F250-F450 2017 +
- c. Sound Off Signal Blue Print Remote Node Harness Kit *MPN: EM BP Node Harness
- d. Sound Off Signal Blue Print Remote Node *MPN: ENGND04102
- e. Tool Box; Crossover; Low Profile; Single Lid; Powder Coated; Gloss Black; Aluminum; 20 Inch Length x 72 Inch Width x 18 Inch Height; 11 Cubic Feet Capacity

5. REAR - TAILLIGHTS

- a. Sound off signal universal undercover led insert single light kit, 1030 vdc w/ 10' cable: includes insert, lens #1 (extreme angle) & inline flasher red *mpn: eluc3h010r
- b. Sound off signal universal undercover led insert single light kit, 1016 vdc w/ 10' cable: includes insert, lens #1 (extreme angle) & inline flasher white *mpn: eluc3h010w

6. REAR – BUMPER

a. Sound Off Signal mpower 4 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, Black Housing, 18 LED, Tri Color -Green/Amber/White

7. CONSOLE – ELECTRONICS

- a. Display Mount Pedestal, Display sets inside molded pedestal for enclosed Dash top installation. All hardware included.
- b. Road Watch 16' (4.9 m) extension cable connects the RoadWatch sensor and display unit and is suitable for use in harsh winter environments. Features industry standard M8 connection style.
- c. RoadWatch SS Complete Kit (F), M8 Connector (Bullet Sensor, 12 FT Cable, and Display)
- d. SoundOff Signal BluePrint Cartocar Sync module *MPN: ENGSYMD01
- e. BluePrint Link Module for FSeries Trucks 2022+ *MPN: ENGLMK003

Vehicle #3 - Upfitting Details (continued)

8. ELECTRONICS

- a. Sound Off Signal Blue Print Central Controller Harness Kit *MPN: EM BP Central Harness
- b. Sound Off Signal Blue Print 100 Amp Central Controller *MPN: ENGCC01243

9. MISC.

- a. Tiger Tough Custom Embroidery Per Seat
- b. Tiger Tough, Seat Cover for Ford FSeries Rear 60/40 Bench Black
- c. Tiger Tough, Seat Cover, Bucket Set, Black Ford F-Series F150 21+ Super Duty 23+

10. GRAPHICS

a. Custom Graphics Package C *MP#: ECA-GP3

11. PLOW

- a. Western 8'6" MVP3 V-plow assembly
- b. Ultra mount II hook up
- c. Flared wing design, stainless steel finish
- d. Vehicle specific wiring harness'
- e. Fleet flex handheld controller.
- f. LED snowplow lights
- g. Standard steel cutting edge
- h. Blade guides
- i. Snow deflector
- j. V-plow shoe kit

TM Facility – Vehicle #4 2024 F-250 4x4 SD Super Cab 8' box 164" WB SRW XL V&E# 2024-110-R-03-2024

- * Exterior: Oxford White
- * Engine: 6.8L 2V DEVCT NA PFI V8 Gas
- * Transmission: TorgShift-G 10-Speed Automatic
- * Electronic-Locking w/3.73 Axle Ratio
- * GVWR: 10,000 lb Payload Package
- * Tires: LT285/70R17 A/T
- * Wheels: 17" Argent Painted Steel
- * HD Vinyl 40/20/40 Split Bench Seat
- * 164" Wheelbase
- * Monotone Paint Application
- * Radio: AM/FM Stereo w/MP3 Player
- * XL Chrome Package
- * XL Off-Road Package
- * Snow Plow/Camper Package

- * Dual 68 AH/65 AGM Batteries
- * 190 Amp Alternator
- * 410 Amp Dual Alternators
- * LED Box Lighting
- Platform Running Boards
- LED Roof Clearance Lights
- * Tailgate Step & Handle
- * 120V/400W Outlet
- * Upfitter Switches (6)
- Front & Rear Wheel Well Liners (Pre-Installed)
- Front Splash Guards/Mud Flaps (Pre-Installed)
- * Rear Splash Guards/Mud Flaps (Pre-Installed)
- Exterior Backup Alarm (Pre-Installed)
- * Front License Plate Bracket
- * SPRAY IN BEDLINER

Vehicle #4 - Upfitting Details

1. ROOF

- a. Ford FSeries Strap Kit. F150 17+ Super Duty 18+ *MPN: PNFLBF18
- o. SoundOff Signal Mpower Lightbar 55" Tri Color Green / Amber / White *MPN: EMPLBL (48 e.g 2)

2. FRONT

- a. Sound Off Signal Blue Print Remote Node Harness Kit *MPN: EM BP Node Harness
- b. Sound Off Signal Blue Print Remote Node *MPN: ENGND04102

3. FRONT - GRILL

a. Soundoff Mpower Fascia 4x2 Light w/ Stud Mount, 18" 5wire w/ sync option & 1.5 Pigtail, SAE Class 1 & CA Title 13, 932 Vdc, Black Housing, 36 LED, Tricolor Green/Amber/White 3 *MPN: EMPSA05C3-3

4. REAR

- a. Sound Off Signal Blue Print Remote Node Harness Kit *MPN: EM BP Node Harness
- b. Sound Off Signal Blue Print Remote Node *MPN: ENGND04102
- c. Tool Box; Crossover; Low Profile; Single Lid; Powder Coated; Gloss Black; Aluminum; 20 Inch Length x 72 Inch Width x 18 Inch Height; 11 Cubic Feet Capacity

5. REAR - TAILLIGHTS

- a. SOUND OFF SIGNAL UNIVERSAL UNDERCOVER LED INSERT SINGLE LIGHT KIT, 1030 VDC W/ 10' CABLE: INCLUDES INSERT, LENS #1 (EXTREME ANGLE) & INLINE FLASHER RED *MPN: ELUC3H010R
- b. SOUND OFF SIGNAL UNIVERSAL UNDERCOVER LED INSERT SINGLE LIGHT KIT, 1016 VDC W/ 10' CABLE: INCLUDES INSERT, LENS #1 (EXTREME ANGLE) & INLINE FLASHER WHITE *MPN: ELUC3H010W

6. REAR - BUMPER

a. Sound Off Signal mpower 4 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, Black Housing, 18 LED, Tri Color -Green/Amber/White

7. CONSOLE – ELECTRONICS

- a. Display Mount Pedestal, Display sets inside molded pedestal for enclosed Dash top installation. All hardware included.
- b. Road Watch 16' (4.9 m) extension cable connects the RoadWatch sensor and display unit and is suitable for use in harsh winter environments. Features industry standard M8 connection style.
- RoadWatch SS Complete Kit (F), M8 Connector (Bullet Sensor, 12 FT Cable, and Display)
- d. SoundOff Signal BluePrint Cartocar Sync module *MPN: ENGSYMD01
- e. BluePrint Link Module for FSeries Trucks 2022+ *MPN: ENGLMK003

Vehicle #4 - Upfitting Details (continued)

8. ELECTRONICS

- a. Sound Off Signal Blue Print Central Controller Harness Kit *MPN: EM BP Central Harness
- b. Sound Off Signal Blue Print 100 Amp Central Controller *MPN: ENGCC01243

9. MISC.

- a. Tiger Tough Custom Embroidery Per Seat
- b. Tiger Tough, Seat Cover, Bucket Set, Black Ford F-Series F150 21+ Super Duty 23+

10. GRAPHICS

a. Custom Graphics Package C *MP#: ECA-GP3

INSURANCE / INDEMNITY REQUIREMENTS VEHICLE RELATED SERVICES

Prior to the commencement of any work under the Purchase Order, and for the duration of the work (unless otherwise stated herein), Vendor (hereinafter the "Covered Party") shall, at its sole expense, maintain the following insurance on its own behalf, at the required limits outlined below, with an insurance company or companies having an A.M. Best Rating of A-: Class VII or better, and furnish to the Commission Certificates of Insurance and endorsements evidencing same.

- 1. Workers Compensation and Employers Liability:
- a) Workers Compensation Coverage: statutory
- b) Employers Liability Limits not less than:

Bodily Injury by Accident: \$500,000 each accident

Bodily Injury by Disease: \$500,000 each employee

Bodily Injury by Disease: \$500,000 policy limit

- c) U.S. Longshoremen's and Harbor Workers' and Maritime Coverages, where applicable.
- d) No proprietor, partner, executive officer, or member may be excluded from coverage.
- 2. Commercial General Liability:
- a) (including Premises Operations, Products/Completed Operations, Contractual Liability (including Liability for Employee Injury assumed under a Contract), Personal Injury,
- b) Occurrence Form with the following minimum limits:

(1) General Aggregate: \$2,000,000

(2) Products/Completed Operations

Aggregate: \$2,000,000
(3) Each Occurrence: \$1,000,000
(4) Personal and Advertising Injury: \$1,000,000
(5) Medical Payments \$5,000
(6) Garagekeepers Coverage \$1,000,000*

- 3. Commercial Automobile Liability:
- a) \$1,000,000 Per Accident Combined Single Limit
- b) Coverage at a minimum for "Owned Autos", "Hired Autos", "Non-owned Autos",
- c) Physical Damage Coverage must be included or self-insured as the Commission is not responsible for any property damage to the Covered Party's vehicles.
- d) If hauling hazardous waste, the Policy must include Form MCS-90-Endorsement for Motor Carrier Policies of Insurance for Public Liability under Sections 29 and 30 of the Motor Carrier Act of 1980.
- 4. Commercial Excess/Umbrella Liability:
- a) Occurrence Limit: \$1,000,000
- b) Aggregate Limit (where applicable): \$1,000,000
- c) Policy to apply excess of the Commercial General Liability, Commercial Automobile Liability, and Employers Liability Coverages.
- d) The Commercial Excess/Umbrella Liability Policy shall be at a minimum following form.

^{*}Coverage limit can be lower if total value of vehicles left with Covered Party is less than \$1,000,000; limit cannot be lower than total value of vehicles.

- e) Occurrence and Aggregate Limits can be lower if the underlying coverage limits exceed the required limits and approved by the Commission
- 5. Commission Vehicles in Care, Custody, or Control of Covered Party
- a) Coverage must be for the total value of Commission vehicles left with the Covered Party at one time.
- b) Coverage can be satisfied with Garagekeepers coverage or a Property policy providing Property of Others with no exclusions for vehicles in your Car, Custody, or Control.
- c) Commission must be named as a Loss Payee on the Property policy.
- 6. Property of Covered Party:

All property, including, but not limited to, tools and equipment that the Covered Party has at the job site or is owned by the Covered Party is the responsibility of the Covered Party. The Commission assumes no responsibility for the protection, maintenance, or repair of any property that the Covered Party has at the job site or that is owned by the Covered Party including, but not limited to, tools or equipment.

Additional Insureds:

The Commercial General Liability and Automobile Liability policies shall be endorsed by the insurer with either ISO Form #CG 2026, both ISO Form #CG 2010 and ISO Form #CG 20 37, or equivalent carrier endorsement to include the Commission, the Commonwealth of Pennsylvania and the State of New Jersey and their respective commissioners, servants, employees, agents, assigns and affiliates as ADDITIONAL INSUREDS on a primary and non-contributory basis. Endorsements shall be provided to the Commission.

Waiver of Rights of Subrogation:

All policies, including Workers' Compensation and Employers Liability (where permitted), shall be endorsed by the insurer to waive its rights and subrogation against the Commission and all Additional Insureds.

No Insured vs. Insured or "Cross Suits" Exclusion

Commercial General Liability and Umbrella/Excess policies must not contain an Insured vs Insured or "Cross Suits" Exclusion. If such exclusion is on the policy, it must apply only to "Named Insureds".

Certificate of Insurance:

Prior to commencement of the work under the Purchase Order and at each insurance renewal date during the term of the work, the Commission shall be provided with current certificates of insurance. These certificates or policies shall name the Commission, the Commonwealth of Pennsylvania, the State of New Jersey, and their respective commissioners, servants, employees, agents, assigns and affiliates as additional insureds. With the certificate, the Covered Party shall provide policy endorsements for Additional Insured, Primary and Noncontributory Basis, and Waiver of Subrogation.

Failure by the Commonwealth to obtain the certificates shall not be deemed a waiver of the obligation to obtain and furnish certificates. The Commonwealth shall have the right to inspect the original insurance policies.

The certificate must evidence, at a minimum:

- 1. All Deductibles and Self-Insured Retentions.
- 2. The Additional Insureds on a primary and non-contributory basis. The Additional Insured endorsement(s)

must be included with the certificate

- Waiver of Subrogation applies. Endorsements must be included. 3.
- 4. No Cross-Suits Exclusions, or apply only to named insureds. Exclusion endorsement must be included, if applicable.

If coverage is changed in a manner that affects the agreement, a certificate must be issued to account for the change(s) in coverage. Changes include, but are not limited to:

- 1. **Policy cancellation**
- 2. Insurance Company financial rating falling below A- VII
- 3. Garagekeepers coverage limit increase based on total value of vehicles

Indemnity Agreement:

To the fullest extent permitted by law, the Covered Party agrees to indemnify, defend and hold the COMMISSION, the Commonwealth of Pennsylvania, the State of New Jersey and their respective commissioners, servants, employees, agents, assigns and affiliates (collectively, the "Indemnified Parties") harmless from and against, any and all liabilities, losses, claims, damages, and expenses including, without limitation, costs of investigation and defense, expert witness fees, legal fees (e.g., fees of attorneys, paralegals and other legal professionals), expenses and diminution of value, whether or not involving a third party claim, arising out of or in any manner connected with the work or services to be performed for the Indemnified Parties, including, but not limited to, work or services performed under this Purchase Order or under any Change Order, or any such other work or services performed for the Indemnified Parties, even for and if caused in whole or in part by any act, omission or negligence of the Indemnified Parties.

It is expressly agreed that the indemnification contained in this Purchase Order covers claims against the Indemnified Parties made by employees of Covered Party.

If there are any liabilities, losses, claims, damages or expenses of any kind or nature unsettled when the Purchase Order has been fulfilled or completed, any unpaid amounts owed by the COMMISSION to the Covered Party shall be deferred until all such liabilities, losses, claims, damages or expenses are: (1) settled; (2) evidence of insurance coverage acceptable to the COMMISSION or indemnification acceptable to the COMMISSION is provided by the Covered Party's insurance carrier; or (3) a bond acceptable to the COMMISSION is provided by the Covered Party to secure payment of all liabilities, losses, claims, damages and expenses owed by the Covered Party to the COMMISSION.

The terms and conditions of this indemnity agreement shall survive any cancellation, expiration or termination of the Purchase Order. The laws of the Commonwealth of Pennsylvania shall apply to the construction of the indemnification set forth above without regard to any conflicts of laws provisions.

Regulatory Authority

The Covered Party's insurance policies can not contain any provision requiring compliance with any regulatory authority that pertains to its agreement with the COMMISSION or the COMMISSION's operations.

The covered party shall not report any functions pertaining to its contract with the COMMISSION or results of such functions to any regulatory authority.